

Supplementary Table 5. Incidence of MACE in each subgroup in Supplementary Table 4

MACE	Total	On-treatment LDL-C, mg/dL				
		<100	70–99	<70	55–69	<55
Moderate risk group						
Total	3,449	1,699	889	810	472	338
No. of event	176	37	21	16	10	6
Incidence rate, /100 person-years	1.64	0.65	0.69	0.60	0.63	0.55
High risk group						
Total	8,300	4,382	2,044	2,338	1,292	1,046
No. of event	520	167	87	80	43	37
Incidence rate, /100 person-years	1.89	1.07	1.16	0.98	0.96	1.01

MACE, major adverse cardiovascular event; LDL-C, low-density lipoprotein cholesterol.

Supplementary Table 6. *P* for interaction between (B) & (C) and (D) & (E) in Supplementary Table 4

Variable	Moderate risk group			High risk group		
	Model A	Model B	Model C	Model A	Model B	Model C
(B) & (C)						
LDL-C	0.492	0.577	0.686	0.038	0.095	0.104
TG	0.330	0.027	0.061	0.616	0.645	0.729
HDL-C	0.736	0.246	0.202	0.793	0.413	0.319
Non-HDL-C	0.398	0.147	0.154	0.207	0.283	0.326
(D) & (E)						
LDL-C	0.266	0.202	0.168	0.717	0.705	0.631
TG	0.448	0.033	0.035	0.881	0.629	0.523
HDL-C	0.531	0.455	0.474	0.338	0.239	0.251
Non-HDL-C	0.678	0.041	0.043	0.898	0.588	0.646

LDL-C, low-density lipoprotein cholesterol; TG, triglyceride; HDL-C, high-density lipoprotein cholesterol.