

**Supplementary Table 4.** Changes from baseline in HbA1c (%) in various subgroups

Variable	Enavogliflozin 0.3 mg	Dapagliflozin 10 mg
Subgroup: prior hypoglycemic agents (metformin alone)	55	55
Baseline	7.63 (0.80)	7.62 (0.61)
Week 24	6.83 (0.56)	6.79 (0.57)
Change from baseline at week 24		
LS mean (SE)	-0.88 (0.08)	-0.90 (0.08)
LS mean difference (95% CI), <i>P</i> value	0.02 (-0.17 to 0.22), <i>P</i> =0.8032	
Subgroup: prior hypoglycemic agents (add-on therapy to metformin)	40	35
Baseline	7.93 (0.83)	7.76 (0.88)
Week 24	7.18 (0.61)	7.24 (0.85)
Change from baseline at week 24		
LS mean (SE)	-0.75 (0.11)	-0.60 (0.11)
LS mean difference (95% CI), <i>P</i> value	-0.15 (-0.45 to 0.14), <i>P</i> =0.3004	
Subgroup: HbA1c level at screening (<8.0%)	65	60
Baseline	7.31 (0.35)	7.31 (0.33)
Week 24	6.85 (0.48)	6.87 (0.67)
Change from baseline at week 24		
LS mean (SE)	-0.44 (0.06)	-0.41 (0.07)
LS mean difference (95% CI), <i>P</i> value	-0.03 (-0.21 to 0.15), <i>P</i> =0.7670	
Subgroup: HbA1c level at screening (≥8.0%)	30	30
Baseline	8.71 (0.73)	8.40 (0.76)
Week 24	7.26 (0.75)	7.16 (0.78)
Change from baseline at week 24		
LS mean (SE)	-1.36 (0.12)	-1.30 (0.12)
LS mean difference (95% CI), <i>P</i> value	-0.06 (-0.41 to 0.29), <i>P</i> =0.7395	
Subgroup: eGFR level at screening (<90 mL/min/1.73 m <sup>2</sup> )	60	42
Baseline	7.76 (0.81)	7.61 (0.56)
Week 24	6.94 (0.59)	6.95 (0.59)
Change from baseline at week 24		
LS mean (SE)	-0.80 (0.08)	-0.72 (0.08)
LS mean difference (95% CI), <i>P</i> value	-0.08 (-0.30 to 0.13), <i>P</i> =0.4357	
Subgroup: eGFR level at screening (≥90 mL/min/1.73 m <sup>2</sup> )	35	48
Baseline	7.75 (0.85)	7.74 (0.84)
Week 24	7.05 (0.64)	6.97 (0.82)
Change from baseline at week 24		
LS mean (SE)	-0.78 (0.11)	-0.79 (0.10)
LS mean difference (95% CI), <i>P</i> value	0.01 (-0.26 to 0.29), <i>P</i> =0.9134	
Subgroup: UACR 30–3,500 mg/g at baseline	18	22
Baseline	7.92 (0.87)	7.85 (0.72)
Week 24	7.14 (0.73)	7.11 (0.90)
Change from baseline at week 24		
LS mean (SE)	-0.69 (0.18)	-0.69 (0.16)
LS mean difference (95% CI), <i>P</i> value	-0.01 (-0.50 to 0.48), <i>P</i> =0.9707	

HbA1c, glycosylated hemoglobin; SE, standard error; CI, confidence interval; eGFR, estimated glomerular filtration rate; UACR, urine albumin-creatinine ratio.