

Supplementary Table 4. Distribution of the estimated 10-year ASCVD risk according to sex and age in Korean National Health and Nutrition Examination Survey V (2010 to 2012)

Age, yr	Estimated 10-year ASCVD risk, %				
	<5.0	5.0–7.49	7.5–9.9	10.0–19.9	≥20.0
Total					
20–29	99.4 (0.2)	0.3 (0.1)	0.1 (0.1)	0.1 (0.1)	0.1 (0.1)
30–39	97.3 (0.4)	2.0 (0.3)	0.4 (0.1)	0.3 (0.1)	0.0
40–49	85.7 (0.8)	7.7 (0.6)	3.4 (0.4)	3.2 (0.4)	0.1 (0.0)
50–59	57.6 (0.9)	15.8 (0.8)	10.9 (0.7)	13.2 (0.7)	2.5 (0.3)
60–69	16.0 (0.8)	15.3 (0.8)	15.3 (0.8)	37.7 (1.0)	15.7 (0.8)
≥70	0.0	1.0 (0.2)	2.8 (0.4)	26.2 (1.1)	70.0 (1.1)
≥80	0.0	0.0	0.0	0.8 (0.6)	99.2 (0.6)
Male					
20–29	100.0 (0.0)	0.0	0.0	0.0	0.0
30–39	95.3 (0.7)	3.5 (0.6)	0.7 (0.3)	0.5 (0.2)	0.0
40–49	72.4 (1.4)	15.0 (1.1)	6.5 (0.8)	6.0 (0.8)	0.1 (0.1)
50–59	23.5 (1.3)	26.7 (1.4)	19.1 (1.2)	25.5 (1.3)	5.1 (0.7)
60–69	0.7 (0.3)	4.1 (0.6)	12.4 (1.2)	54.3 (1.7)	28.5 (1.5)
≥70	0.0	0.0	0.1 (0.1)	16.6 (1.4)	83.3 (1.4)
≥80	0.0	0.0	0.0	1.6 (1.5)	98.4 (1.5)
Female					
20–29	98.7 (0.4)	0.7 (0.3)	0.2 (0.1)	0.3 (0.2)	0.1 (0.1)
30–39	99.4 (0.2)	0.4 (0.2)	0.1 (0.1)	0.2 (0.1)	0.0
40–49	99.4 (0.2)	0.2 (0.1)	0.2 (0.1)	0.2 (0.2)	0.0
50–59	90.8 (0.7)	5.2 (0.6)	2.9 (0.5)	1.2 (0.3)	0.0
60–69	29.8 (1.4)	25.4 (1.4)	18.0 (1.2)	22.6 (1.2)	4.1 (0.6)
≥70	0.0	1.6 (0.3)	4.6 (0.7)	32.5 (1.5)	61.3 (1.6)
≥80	0.0	0.0	0.0	0.4 (0.4)	99.6 (0.4)

Values are presented as percentage (standard error).
ASCVD, atherosclerotic cardiovascular disease.